



Folder Inserter FPi 8140

Mailing Solutions

FPi Series Folder Inserter

The FPi 8140 is a breakthrough mailroom advancement for all businesses who process mail. Securely automate and customize your jobs with proven technology. A straight paper path design provides maximum efficiency with media constantly flowing in one direction. This gives the user exceptional processing capabilities, even when feeding multiple sheets from the same tray. The FPi 8140 is capable of inserting into envelope sizes up to 10.5" x 13".

Combined with FlexStream software you can treat every job with the same high level of integrity by controlling every aspect of the mailing process. This machine can be equipped with File-Based Processing, giving the user maximum control at every point in the folding and inserting process. Additional features such as the High Capacity Sheet Feeders, Powered Vertical Exit Stacker and ergonomic, height adjustable tables means the FPi 8140 can be customized into the perfect machine to complement your mailroom needs.



Control Panel

The control panel gives unprecedented ease-of-use, and offers intuitive on screen videos to walk the user through how to load the paper, inserts and envelopes.



Configuration

The FPi 8140 includes a four-feeder tower. The tower can be customized for envelopes, sheets or inserts. Additionally High-Capacity sheet feeders can be added to increase processing capacity and accumulation speed.



Integrity

Document scanning options such as 2D and 1D barcodes and OMR offer the ability to automatically, accurately and securely assemble your sets without the need for manual intervention.

FlexStream Software Document Output Solution

FlexStream Software is a document automation solution that gives organizations control over their mailing process.

FlexStream key benefits:

- Add Scancodes for variable page processing, document integrity, and verification
- Gain access to USPS® Automation postage rates and discounts
- Correct undeliverable as addressed mail (reduce returned mail)
- Automate processes, reduce labor time and save money
- Organize, sort, group and enhance documents electronically before printing
- Add variable and static marketing text, graphics, logos, QR codes and barcodes



Folder Inserter FPi 8140



Standard Features

- Tower with 4 customizable feeders
- High Capacity Envelope Feeder
- Load envelopes and media on-the-fly
- Processes envelopes up to 10.5" x 13"
- Feeder swap, linking, cascading
- May fold documents from different feeders separately
- Divert before folding
- Process glossy, pre-folded, perforated, and stapled media
- Thickness and stream feed detection
- Automatic setup for up to 24 stored jobs, 18 library jobs, and 8 recently run jobs
- 5 Fold types (C, Z, V, Double-V, No-Fold)
- Envelope Sealing

Options

- FlexStream Document Output Software
- Integrity options: 2D, 1D, OMR
- File-Based Processing
- Up to 4 High-Capacity Sheet Trays
- Process top, bottom and middle address applications
- Powered Vertical Exit Stacker: up to 500 envelopes
- Horizontal Belt Stacker
- Multiple Exit Options
- Envelope Marker

Specifications

Technical Data

Processing speed (Max)	5,400 per hour
Base Dimensions (approx.) (W x L x H)	22.8" x 60" x 31"
Weight	326.5 lbs.
Noise emission in dB (REF: ISO 11202)	73 dB

Tray Capacity

Maximum number of feed stations	up to 8 total
High capacity sheet feeder	1,000 sheet capacity
Tower Feeders	3 sheet / inserts, 1 envelope
Tower sheet tray	350 each
Tower insert tray	350 (250 Reply Envelopes)
Tower envelope tray	250 envelopes, 100 flats

Documents and Inserts

High cap. feeder paper size (W x L)	8" x 9.1" to 8.5" x 11.7"
High cap. feeder paper weight	20 lb to 24 lb.
High cap. envelope feeder size (W x L)	8.9" x 3.9" to 10.4" x 6.5"
Tower sheet feeder paper size (W x L)	5" x 5.3" to 9.8" x 14"
Tower sheet feeder paper weight	16 lb to 44 lb.
Tower insert feeder paper size (W x L)	5" x 2.8" to 9.8" x 6"
Tower insert feeder paper weight	16 lb to 44 lb.
Tower envelope feeder sizes (W x L)	Std: 6.4" x 3.5" to 10.5" x 6.5" Flat: 6.4" x 6.5" to 10.5" x 13"